



# DIGI AMERICA Inc. Authorized Equipment Price List

Revised January 1, 2022





## Authorized Equipment Price List

### TERMS:

All prices are F.O.B. (Freight On Board) Somerset, NJ or Brea, CA.  
Specifications are subject to change without notice.

All prices are single unit prices; unless otherwise noted.  
Sales tax not included in prices, where applicable.

Return Policy: All returned parts and equipment must be  
accompanied by a Return Authorization Form.

A Prepaid 1% discount is available on full payment with your order.  
Your account must have a \$0.00 balance to take the prepay discount.

All prices are subject to change without notice.

All information and prices presented are believed to be correct  
at the time of printing.



## Warranty & Return Policy

### TERMS:

#### 1. Equipment Warranty

DIGI America Inc. will warranty parts against manufacturer's defect on new equipment for 1 year plus 90 days. The warranty will begin the day the equipment is shipped. Any parts that fail due to neglect, customer abuse, fire, water damage, burglary, accident, abuse, acts of God, force majeure, repairs by unauthorized persons, or failure of user to operate and maintain the equipment in conformity to DIGI's recommended operating and maintenance instructions will not be covered under warranty.

#### 2. Parts Warranty

DIGI America Inc. will warranty spare parts for 1 month from the date the parts are shipped. This 1 month warranty will also apply for equipment and parts which will include (boards) repaired by DIGI.

#### 3. Warranty Resolution Process

Any parts that are covered under warranty must be shipped back to DIGI for evaluation. Any replacement parts should be purchased from DIGI with a valid Purchase Order. If DIGI determines that the part is to be covered under warranty, a credit will be issued.

#### 4. Return Policy

DIGI America Inc. will only accept equipment or parts returned for repairs, credits or warranty evaluations accompanied by an official DIGI Return Authorization/Repair Form. A return authorization number must be clearly written on the shipping container for our receiving department to reference. Refer to the Return Authorization Form for further instructions on returns. If you wish to return parts for warranty coverage, please provide the proper information (model, serial number, along with the invoice number and/or packing list). You can use the Return/Repair Form to indicate the reason for the return. If we receive any equipment or parts without the proper information, the shipment will not be received and returned to sender. Parts may not be returned for credit beyond 30 days. All parts returned within 30 days for credit and are in new condition will have a 15% restocking charge. This charge will be waived if DIGI shipped the incorrect part if returned within this same time period. No credit will be given on any parts returned after 30 days.

# Table of Contents

<b>INTRO</b>		<b>PC BASED SERVICE COUNTER SCALES</b>	
Terms .....	2	SM-5300X H.....	20
Warranty .....	3	<b>PC BASED SELF SERVICE SCALES</b>	
Table of Contents .....	4	SM-6000 SSR 15" .....	21
<b>AUTO WRAPPING SYSTEMS</b>		SM-6000 SSR 8".....	21
AW-5600ATII .....	5	SM-6000 SSP 15" .....	21
AW-5600ATII AI .....	6	<b>PC BASED PRINTER</b>	
AW-5600CPRII w/IWC.....	7	DP-5000 .....	22
AW-5600CP II .....	8	<b>PC BASED ACCESSORIES</b>	
AW-5600FXII .....	9	CITAV8 (QUEUE SYSTEM) .....	22
Infeed and Outfeed Tables .....	10	e.LABEL .....	23
<b>PREPACK SYSTEMS</b>		INFOTAG .....	23
DPS-5600II Standard Single .....	11	e.LABEL/INFOTAG OPTIONS.....	23
DPS-5600II Standard Twin .....	11	SPEED ID .....	24
<b>HANDWRAP SYSTEMS</b>		e.SENSE .....	24
DPS-5600II Modular Single .....	12	e.SENSE Options.....	24
DPS-5600II Modular Twin .....	12	<b>NON-PC SERVICE COUNTER SCALES</b>	
DPS-5600II Options .....	11-12	SM-120 .....	25
<b>HANDWRAP COUNTER SCALES</b>		SM-5100.....	25
SM-5300X B CON .....	13	Scale Accessories.....	25
<b>HANDWRAP STATIONS</b>		<b>DIGITAL SCALES- CHECK WEIGH SCALES</b>	
SM-1 .....	14	DS-520 FLOOR .....	26
SM-1/SM-5500 CON .....	14	DS-520 BENCH .....	26
SM-1/DPS-5600.....	14	DS-502.....	27
SM-20 .....	15	DS-676 .....	27
SM-20/SM-5500 CON .....	15	Check Weigh Scale Options .....	27
SM-20/DPS-5600.....	15	<b>DIGITAL SCALES- PRICE COMPUTING SCALES</b>	
<b>BANDING SYSTEM</b>		DS-781 BENCH.....	28
RGW-560II.....	16	DS-788 .....	28
RGW-560II OPTIONS .....	16	<b>POS BASED SCALES</b>	
<b>PC BASED SERVICE COUNTER SCALES</b>		RM-5900 BENCH .....	29
SM-6000 EV HC .....	17	RM-5900 POLE .....	29
SM-6000 EV HC PLUS .....	17	<b>SOFTWARE</b>	
SM-5300X B .....	18	RSM .....	30
SM-5300X B PLUS .....	18		
SM -5300X P .....	19		
SM-5300X P PLUS.....	19		
Scale Accessories .....	19		

# Auto Wrapping Systems



## AW-5600ATII

Fully Automatic, PC based, Super-Stretch Weigh, Wrap and Label System. Available with Main, POP or Bottom Label Applicators. Linerless Label Printers with Auto-Cutter Optional. Maximum speed of 36 Packages per minute; Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System.

AW-5600 ATII POP BP SHOWN

MODEL	DESCRIPTION
AW-5600ATII	SINGLE PRINTER APPLICATOR
AW-5600ATII POP	MAIN AND POP PRINTER APPLICATOR
AW-5600ATII POP BP**	MAIN, POP & BOTTOM PRINTER APPLICATORS
AW-5600ATII LL*	SINGLE PRINTER APPLICATOR LINERLESS
AW-5600ATII LL POP*	MAIN LINERLESS & POP PRINTER STANDARD APPLICATORS
AW-5600ATII LL POP BP LL**	MAIN, POP & BOTTOM PRINTER APPLICATORS LINERLESS

PLEASE SPECIFY DISCHARGE DIRECTION ON ALL WRAPPER PURCHASE ORDERS

\*LINERLESS IS A FACTORY INSTALLED OPTION\*

\*\*SPECIAL ORDER, PLEASE CALL FOR DELIVERY TIMES\*\*

**OTHER PRINTER COMBINATIONS ARE AVAILABLE, CONTACT YOUR SALES REPRESENTATIVE FOR PRICING AND DELIVERY TIMES**

## Wrapper Options

ITEM
AW/DPS WIRELESS ADAPTER W/ ANTENNA
AW5600 EXTENSION LEGS (SET OF 4) 4"

## AW-5600ATII Auto-Infeed



Fully Automatic, PC based, Super-Stretch Weigh, Wrap and Label System with Automatic Infeed and various Out-Feed Options. Maximum speed of 36 Packages per minute. Available with Main, POP or Bottom Label Applicators. Linerless Label Printers with Auto-Cutter Optional. Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System.

MODEL	DESCRIPTION
AW-5600ATII AI	SINGLE PRINTER APPLICATOR
AW-5600ATII AI POP	MAIN AND POP PRINTER APPLICATOR
AW-5600ATII AI POP BP**	MAIN, POP & BOTTOM PRINTER APPLICATORS
AW-5600ATII AI LL*	SINGLE PRINTER APPLICATOR LINERLESS
AW-5600ATII AI LL POP LL*	MAIN & POP PRINTER APPLICATOR LINERLESS
AW-5600ATII AI LL POP LL BP LL**	MAIN, POP & BOTTOM PRINTER APPLICATOR LINERLESS

PLEASE SPECIFY DISCHARGE DIRECTION ON ALL WRAPPER PURCHASE ORDERS

\*LINERLESS IS A FACTORY OPTION\*

\*\*SPECIAL ORDER, PLEASE CALL FOR DELIVERY TIMES\*\*

**OTHER PRINTER COMBINATIONS ARE AVAILABLE, CONTACT YOUR SALES REPRESENTATIVE FOR PRICING AND DELIVERY TIMES**

### Wrapper Options

ITEM
AW/DPS WIRELESS ADAPTER W/ ANTENNA
AW5600 EXTENSION LEGS (SET OF 4) 4"



AW-5600CPRII w/IWC

## AW-5600CPRII w/IWC

Fully Automatic, PC based, Weigh, Wrap and Label System with Automatic Self-Centering Infeed and Rear Gravity Conveyor Out-Feed. Maximum speed of 30 Packages per minute. Available with Main Printer Applicator. Linerless Label Printer with Auto-Cutter Optional. Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System. Perfect for production type operations.

MODEL	DESCRIPTION
AW-5600CPRII	SINGLE PRINTER APPLICATOR
AW-5600CPRII LL*	SINGLE PRINTER APPLICATOR LINERLESS

\* LINERLESS IS A FACTORY INSTALLED OPTION\*

## Wrapper Options

ITEM
AW/DPS WIRELESS ADAPTER W/ ANTENNA
AW5600 EXTENSION LEGS (SET OF 4) 4"



# Auto Wrapping Systems



AW-5600 CPII

## AW-5600CPII

Compact, Semi-Automatic, PC based, Weigh, Wrap and Manual Label System. Maximum speed of 30 Packages per minute. Available with Main Printer. Linerless Label Printer with Auto-Cutter Optional. Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System.

MODEL	DESCRIPTION
AW-5600CPII	SINGLE MANUAL PRINTER
AW-5600CPII LL*	SINGLE MANUAL PRINTER LINERLESS

\* LINERLESS IS A FACTORY INSTALLED OPTION\*

## Wrapper Options

ITEM
AW/DPS WIRELESS ADAPTER W/ ANTENNA
AW5600 EXTENSION LEGS (SET OF 4) 4"





AW-5600 FXII

## AW-5600FXII

Compact, Semi-Automatic, PC based, Weigh, Wrap and Manual Label System. Maximum speed of 17 Packages per minute. Available with Main Printer. Linerless Label Printer with Auto-Cutter Optional. Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System. Perfect for non-standard shaped trays, fragile items or non-trayed items.

MODEL	DESCRIPTION
AW-5600FXII	SINGLE PRINTER APPLICATOR
AW-5600FXII LL*	SINGLE PRINTER APPLICATOR LINERLESS

\* LINERLESS IS A FACTORY INSTALLED OPTION\*

## Wrapper Options

ITEM
AW/DPS WIRELESS ADAPTER W/ ANTENNA
AW5600 EXTENSION LEGS (SET OF 4) 4"



## Infeed Table

ITEM

Infeed Table

**DIMENSIONS:** Top 15" x 24", Height 36"  
**CONSTRUCTION:** Top 16ga. 300 SS, 1-1/4" SS SQ. Tubing Legs  
 All Seams Welded & Polished  
 Meets NSF Standard 2  
 Adjustable Bullet Feet



## Cart

ITEM

Cart

**DIMENSIONS:** Length 32", Width 15", Height 32"  
**CONSTRUCTION:** Stainless Steel  
 Swivel Casters  
 2 Locking



## Outfeed Table

ITEM

Outfeed Table

**DIMENSIONS:** Top 30" x 48", Height 32"  
**CONSTRUCTION:** Top 14ga. SS, Overshelf 16ga SS  
 Uprights 1"sq SS, Legs 1.625" SS SQ  
 All Seams Welded & Polished  
 48: Gravity roller section  
 Adjustable Bullet Feet  
 Overshelf with Sticker bar



## DPS-5600II Standard

Self-Contained Pre-Pack Single Printer Scale with External Weighing Platform. Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System. Linerless Label Printer with Auto-Cutter Optional. 30 lb or 60 lb weighing capacity available. To be specified when ordering.

### MODEL

DPS-5600II S SINGLE

DPS-5600II S SINGLE LL

\* LINERLESS IS A FACTORY INSTALLED OPTION\*



## DPS-5600II Standard Twin

Self-Contained Pre-Pack Dual Printer Scale with External Weighing Platform. Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System. Linerless Label Printer with Auto-Cutter Optional. 30 lb or 60 lb weighing capacity available. To be specified when ordering.

### MODEL

DPS-5600II S TWIN

DPS-5600II S TWIN LL

\* LINERLESS IS A FACTORY INSTALLED OPTION\*

## DPS-5600 Scale Options

### ITEM

AW/DPS WIRELESS ADAPTER W/ ANTENNA



## DPS-5600II Modular Single

Modular Pre-Pack Single Printer Scale with External Weighing Platform. Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Unique Wipe-On Label Applicator; Linux Operating System. Linerless Label Printer with Auto-Cutter Optional. 30 lb or 60 lb weighing capacity available. To be specified when ordering. Modular Stand ordered separately.

### MODEL

DPS-5600II M SINGLE

DPS-5600II M SINGLE LL

\* LINERLESS IS A FACTORY INSTALLED OPTION\*



## DPS-5600II Modular Twin

Modular Pre-Pack Dual Printer Scale with External Weighing Platform. Extra Large 15" LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Unique Wipe-On Label Applicator; Linux Operating System. Linerless Label Printer with Auto-Cutter Optional. 30 lb or 60 lb weighing capacity available. To be specified when ordering. Modular stand ordered separately.

### MODEL

DPS-5600II M TWIN

DPS-5600II M TWIN LL

\* LINERLESS IS A FACTORY INSTALLED OPTION\*

## DPS-5600 Scale Options

### ITEM


AW/DPS WIRELESS ADAPTER W/ ANTENNA

MODULAR STAND

## SM-5300XB CON



PC Based Label Printing Scale. 10.1" with external loadcell platform.  
Full Capacitive Touch Screen Operator Display; 8 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System; 300 DPI Thermal Print Head. Factory Installed Linerless Label Printer with Auto-Cutter Available.



### MODEL

SM-5300X B CON

SM-5300X B CON LL

WIRELESS ADAPTERW/ ANTENNA

# HandWrap Stations



## SM-1

### FEATURES:

- Standard 115V Power Supply
- All Stainless Steel Construction
- Fully Welded Wrapper Frame
- Easy to Use Film Selector Feature
- Adjustable Film Tension
- Solid State Controlled Film Cut off Rod
- 6" by 15" Thermostatically Controlled Hot Plate with Non-Stick, Replaceable Over
- Adjustable, Oversized Stainless Steel Foot Pads for Easy Leveling on Uneven Floors
- Models and Accessories to Fit Any Scale



## SM-1/SM-5500 CON

### SM-1od/l/r Twin

MODEL

SM-1

CON Kit

All Purpose Shelf (1)

TOTAL COST:



## SM-1/DPS-5600

ITEM

SM-1

DPS Kit

Poles (2)

Pole Cappers (@)

Base Plates (Dual)

TOTAL COST:



# HandWrap Stations



## SM-20

### FEATURES:

- GFCI for improved Circuit Integrity and Protection
- Seal Plate Reaches Seal Temperature Within Seconds
- Rounded Stainless Steel Front Plate for Easy Wipe Down
- Thermostatic High Temperature Limit Device • Dual Outlet for Accessory Plug In
- All Stainless Steel Fully Welded Construction • Easy to use Film Selector Feature
- 6" by 15" On-Demand Timer Controlled Heated Seal Plate That Significantly Reduces Power Consumption
- Thermistor Controlled Circuit That Reduces Power Consumption as Residual Heat Increases in Seal Plate
- Self-Regulating Boardless Square Rod for Increased Transversal Rigidity and Consistent Cutting
- Two Film Roll Capacity, 20" Maximum Roll Width, 8" Maximum Roll Diameter, Adjustable Film Tension
- Adjustable, Oversized Stainless Steel Foot Pads for Easy Leveling on Uneven Floors



## SM-20/SM-5500 CON

### MODEL

SM-20

### Con Kit

All Purpose Shelf (1)

TOTAL COST:



## SM-20/DPS-5600

### ITEM

SM-20

### DPS Kit

- Poles (2)
- Inner/Outer Pole Clamps (2)
- Mounting Bracket (1)
- Pole Cappers (2)
- Base Plates (Dual)

TOTAL COST:



# Banding Systems



RGW-560II

## RGW-560II

PC Based Banding Machine. Large 10.4" adjustable angle TFT LCD Color Touch Screen Display; 18 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; 60mm Film Width and 300mm Printing area; Uses OPP Film, Ink-Ribbon and additional labels; Linux Operating System; Maximum speed of 15 Packages per minute.

MODEL	DESCRIPTION
RGW-560II	PRODUCT STRAP BANDING MACHINE



Clear RGW Band

White RGW Band

Silver RGW Band

Black Ink Ribbon

Blank Roll

### Bander Options

ITEM	DESCRIPTION
RGW Band	Clear 60mmx200m (5 per Case)
RGW Band	White 60mmx200m (5 per Case)
RGW Band	Silver 60mmx200m (5 per Case)
Black Ink Ribbon	66mmx100m (5 per Case)
RGW Blank Label Rolls	2 rolls/2300 labels per roll
AW/DPS WIRELESS ADAPTER W/ ANTENNA	



## SM-6000 EV HC (High Counter)

PC Based Label Printing Scale. 8" TFT Operator Display with Capacitive Touch and Mechanical Numeric Keypad; 8" Color Customer Display; 8 GB Standard Memory; Ethernet and Wireless Communication Included; Linux Operating System; 300 DPI Thermal Print Head. Configured for Linerless Labels with Auto-Cutter.



### MODEL

SM-6000 EV HC



## SM-6000 EV HC (High Counter) PLUS

PC Based Label Printing Scale. 8" TFT Operator Display with Capacitive Touch and Mechanical Numeric Keypad; 15" Color Customer Display; 8 GB Standard Memory; Ethernet and Wireless Communication Included; Linux Operating System; 300 DPI Thermal Print Head. Configured for Linerless Labels with Auto-Cutter.



### MODEL

SM-6000 EV HC PLUS

# PC Based Service Counter Scales

## SM-5300X B



PC Based Label Printing Scale. 10.1" Full Capacitive Touch Screen Operator Display; 7" Color Customer Display; 8 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System; 300 DPI Thermal Print Head. Factory Installed Linerless Label Printer with Auto-Cutter Available.



### MODEL

SM-5300X B

SM-5300XLL B

WIRELESS ADAPTER W/ ANTENNA

## SM-5300X B PLUS



PC Based Printing Scale. 10.1" Full Capacitive Touch Screen Operator Display; 10.1" Color Customer Display; 8 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System; 300 DPI Thermal Print Head. Factory Installed Linerless Label Printer with Auto-Cutter Available.



### MODEL

SM -5300X B Plus

SM -5300XLL B Plus

WIRELESS ADAPTER W/ ANTENNA

## SM-5300X P



PC Based Label Printing Scale with Post Customer Display. 10.1" Full Capacitive Touch Screen Operator Display; 7" Color Customer Display on a Post; 8 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System; 300 DPI Thermal Print Head. Factory Installed Linerless Label Printer with Auto-Cutter Available.

### MODEL

SM-5300X P

SM-5300XLL P

WIRELESS ADAPTER W/ ANTENNA

## SM-5300X P PLUS



PC Based Label Printing Scale with Post Customer Display. 10.1" Full Capacitive Touch Screen Operator Display; 10.1" Color Customer Display on a Post; 8GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System; 300 DPI Thermal Print Head. Factory Installed Linerless Label Printer with Auto-Cutter Available.

### MODEL

SM-5300X P PLUS

SM-5300XLL P PLUS

WIRELESS ADAPTER W/ ANTENNA

## Scale Accessories

### ITEM

FISH/PRODUCE PLATTER (Compatible with SM-5300X Series, SM-120, SM-5100)



## SM-5300X H

Retail scale with a 10.1" operator and customer display. The hanging scale is customer oriented and user friendly with its customizable touch screen display. The SM-5300X hanging scale also allows for the presentation of promotional items. The hanging scale is designed with the electronics placed above the scale preventing liquid from coming in contact with the pc unit. This scale is perfect for the seafood department!

### MODEL

SM-5300X H

SM-5300XLL H

WIRELESS ADAPTER W/ ANTENNA



## SM-6000 SSR 15"

PC Based Label Printing Self Service Scale. 15" Full Capacitive Touch Screen Customer Display; 8 GB Standard Memory; Ethernet and Wireless Communication Included; Linux Operating System; 300 DPI Thermal Print Head; Bowl Platter. Configured for Linerless Labels with Auto-Cutter Only. Optional Customized Stand Available.

[e.Sense only available for SM-6000SS models.](#)

### MODEL

SM-6000 SSR 15"

SM-6000 SSR Stand



## SM-6000 SSR 8"

PC Based Label Printing Self Service Scale. 8" TFT Operator Display with Capacitive Touch and Mechanical Numeric Keypad; 8 GB Standard Memory; Ethernet and Wireless Communication Included; Linux Operating System; 300 DPI Thermal Print Head; Bowl Platter. Configured for Linerless Labels with Auto-Cutter Only. Optional Customized Stand Available.

[e.Sense only available for SM-6000SS models.](#)

### MODEL

SM-6000 SSR 8"

SM-6000 SSR Stand



## SM-6000 SSP 15"

PC Based Label Printing Self Service Scale. 15" Full Capacitive Touch Screen Customer Display; 8 GB Standard Memory; Ethernet and Wireless Communication Included; Linux Operating System; 300 DPI Thermal Print Head; Standard Flat Platter. Configured for Linerless Labels with Auto-Cutter Only.

[e.Sense only available for SM-6000SS models.](#)

### MODEL

SM-6000 SSP



# PC Based Printers



## DP-5000

PC Based Label Printer. 8.4" TFT Touch Display with Numeric Keypad; 8 GB Standard Memory; Ethernet Ready with Optional Wireless Communication; Linux Operating System; 300 DPI Thermal Print Head; Front Pullout Label Drawer. Factory Installed Linerless Label Printer with Auto-Cutter Available.

MODEL
DP-5000
DP-5000 LL
WIRELESS ADAPTER W/ ANTENNA

# PC Based Accessories



## CITAQ V8 (QUEUE SYSTEM)

Network based printer that works with the SM-5500 and SM-5300 series. The printer is capable of printing product information as well as recipes and coupons. The printer has wireless communication capability and can be synced to multiple scales.

MODEL
CITAQ V8 WIRELESS

## CITAQ V8 Features

Queue number	Product information linked to PLU	Prints receipts, queue tickets
Average waiting time	Excellent for ads, cross selling and upselling	Nutrifact, recipe, coupon printing



# PC Based Accesories



## e.Label

Electronic price label that displays product information and wirelessly connects with PC scale system. Labels can be simultaneously updated with PC scales from the office. With the Hi-Touch feature, you are able to remotely transfer the PLU from the case to the scale with just a simple touch. This is great for quick customer assistance and accurate PLU recall. One BS-04 is required per installation.

### MODEL

1.54"

2.7"

4.2"

## InfoTag

E-paper display provides high contrast and low reflection to ensure high screen readability for greater communication possibilities with your customers. Our electronic tags are low energy consuming devices that can last for 5 years or more as energy is consumed only when required. Info Tags formats are customizable to customer needs. One BS-04 is required per installation.



### MODEL

1.54"

2.13"

2.9"

4.2"

5.83"

7.5" (CALL FOR PRICING)



## e.Label/InfoTag Options

### ITEM

e.Label STAND

BASE STATION BS-04



## Speed ID

With the near field identification feature, it provides hassle free user login and prevents unauthorized access. It eliminates the process of manually keying in the clerk's password. The built-in operational log ensures accountability and transparency.

MODEL	QTY.	
SPEED ID TAGS PACK	100	
SPEED ID TAG	1	
CARD READER	1	

## e.Sense

e.Sense comes with a built in sensor that is triggered by motion to transmit the PLU code to the scale. This can be installed on each container or dispenser for accurate PLU call up, eliminating error and effectively reducing shrinkage. One BS-04 is required per installation.



MODEL

e.Sense

## e.Sense Options

ITEM

BASE STATION BS-04

# Non PC Service Counter Scales



## SM-120

Label Printing Retail Scale. LCD Alpha-Numeric Operator Display with 32 Tactile Preset Keys with Numeric Keypad; LCD Customer Display; 4 MB Standard Memory; Ethernet Ready with Optional Wireless Communication; 200 DPI Thermal Print Head; 30 lb or 60 lb weighing capacity available. To be specified when ordering. Factory Installed Linerless Label Printer with Auto-Cutter Available.

### MODEL

SM-120B (30 lb)

SM-120B (60 lb)

SM-120B LL (30 lb)

SM-120B LL (60 lb)

WIRELESS ADAPTER W/ ANTENNA



## SM-5100

Label Printing Retail Scale. LCD Alpha-Numeric Operator Display with 32 Tactile Preset Keys with Numeric Keypad; LCD Customer Display; 2 MB Standard Memory; Ethernet Ready with Optional Wireless Communication; 200 DPI Thermal Print Head. Available in standard bench or post configuration.

### MODEL

SM-5100B

SM-5100P

WIRELESS ADAPTER W/ ANTENNA

## Scale Accessories

### ITEM

FISH/PRODUCE PLATTER (Compatible with SM-5300X Series, SM-120, SM-5100)



## DS-520 Floor

Check weighing floor scale. Stainless steel construction and PU coated, water resistant load cell. Sturdy construction designed for harsh environments. A/C & battery power, auto power-off function saves battery power.

CAPACITY: 150 lb or 300 lb x .10

MODEL	
DS-520	(300 lb)
DS-520	(150 lb)



## DS-520 Bench

Bench type portion control scale; Stainless steel construction; water resistant load cell; Compact and portable; A/C & battery power, auto power-off function saves battery power.

CAPACITY: 30 lb x 0.01

MODEL	
DS-520-30	

# Digital Scales- Check Weigh Scales

## DS-502



Check weighing portion control scale; Compact and portable; auto power-off function saves battery power.

CAPACITY: 30 lb x 0.01

MODEL

DS-502

QUANTITY

10+

DEALER

## DS-676SS



Check weighing scale; Compact and portable design; All Stainless Steel body; Extra large LCD display; Operates on 4xC size dry battery

CAPACITY: 30 lb x 0.01

MODEL

DS-676SS

QUANTITY

10+

DEALER

## Check Weigh Scale Options

ITEM

AC ADAPTOR (DS-500)



## DS-781 Bench

Price computing bench scale, compact and portable; extremely low power consumption; high contrast LCD display. Can also be battery operated with 4 x C cell batteries.

CAPACITY: 150 lb x .005 or 30 lb x .001

MODEL

DS-781B

QUANTITY

5+

10+

DEALER

## RM-5900 Bench (ToMo)



Compact POS scale. Sturdy & lightweight; compatible with QR code transactions, making it ideal for open markets and mobile catering configurations. 7" TFT LCD customer display & 10.1" operation display with Touch panel.

MODEL	DEALER	CHAIN	SELLING
RM-5900B			

## RM-5900 Pole (ToMo)



Compact POS scale. Sturdy & lightweight; compatible with QR code transactions, making it ideal for open markets and mobile catering configurations. 7" TFT LCD customer display & 10.1" operation display with Touch panel.

MODEL	DEALER	CHAIN	SELLING
RM-5900P			



## RSM (RETAIL SCALE MANAGEMENT)

Comprehensive Software Management Program that supports a wide range of scale features including PLU management and label formatting across DIGI's complete line of retail products. This software allows customers to manage all DIGI equipment from one location in the store.



ITEM	DESCRIPTION
RSM	COMMUNICATION SOFTWARE

# DIGI AMERICA Inc.

A DIGI Group Company



**Wrappers**



**Scales**



**Printers**



**Software**

## DIGI AMERICA Inc.

76 Veronica Ave, Somerset NJ 08873 USA  
Tel: (732) 828 3633  
Email: [Marketing@us.digi-group.com](mailto:Marketing@us.digi-group.com)  
Web: [www.digisystem.com/us](http://www.digisystem.com/us)

